

April 6, 2026

To: U.S. Blueberry Exporters

From: Bryant Christie Inc.

Re: 2026 International Blueberry MRL Memo

On behalf of the U.S. Highbush Blueberry Council

As the 2026 blueberry season is underway and crop protection decisions are being made, BCI is pleased to provide the U.S. blueberry industry an international blueberry maximum residue level (MRL) memo for major export markets.

The purpose of this memo is to provide blueberry growers and shippers with relevant information on blueberry MRLs in key export markets. Within, users will find the latest blueberry MRLs through **April 2, 2026**, in the United States (U.S.), Australia, Canada, China, the European Union (EU), Great Britain (GB), India, Japan, Korea, the Philippines, Taiwan, Thailand, and Vietnam. The memo is divided into sections by country, and for each country includes: the active ingredient, trade name, the U.S. highbush blueberry MRLs, the foreign country MRLs, data on how much of the product has been applied, and residue data available from USDA. The residue information is highlighted where there is a potential for a residue to exceed the foreign MRL.

The memo also includes whether the chemical is included in the country's residue testing list. This information comes from official monitoring lists and is subject to change. Not all markets publish such lists.

While the MRL information is considered accurate as of **April 2, 2026**, please note that the 2026 International Blueberry MRL Memo is intended for information purposes only. Growers and shippers should verify the information obtained in this MRL memo with knowledgeable third parties prior to engaging in any business activities, such as the sale or shipments of any products. Although every effort has been made to provide accurate information within, Bryant Christie Inc. is not responsible for the accuracy, reliability, and currency of the information, and users recognize that the information provided may not be one hundred percent (100%) accurate, up-to-date, and free of omissions. BCI shall not be held liable for any losses or damages arising from any errors, omissions, or misrepresentations from the use of the information contained in the 2026 International Blueberry MRL Memo.

Bryant Christie Inc. hopes this memo will be useful to the U.S. blueberry growers and shippers and wishes the industry success in the 2026 season.

Contents

I. Summary of U.S. Monitoring Residues Program and Pesticide Residues Screening Programs in Key Export Markets	3
II. Above-MRL Possibilities According to USDA Residue Data	4
III. Australian MRL Status	7
IV. Canadian MRL Status.....	13
V. Chinese MRL Status	19
VI. European Union MRL Status	25
VII. Great Britain MRL Status	31
VIII. Indian MRL Status.....	37
IX. Japanese MRL Status.....	43
X. Korean MRL Status	49
XI. Filipino MRL Status	55
XII. Taiwanese MRL Status	61
XIII. Thai MRL Status.....	67
XIV. Vietnamese MRL Status.....	73

I. Summary of U.S. Monitoring Residues Program and Pesticide Residues Screening Programs in Key Export Markets

- The residue screening data provided in this document is based on the latest screening data available for blueberries in the USDA's Pesticide Data Program, which is from **2022**. Should industry officials wish to provide additional more recent residue monitoring data in the future, it can be incorporated into the 2027 International Blueberry MRL Memo.
- The pesticide usage data provided in this document is based on the latest survey available by USDA's NASS Agricultural Chemical Use Program, which is from **2023**, and is expressed in pounds (lbs.) applied.
- This document includes information on pesticides known to be analyzed in official pesticide residue screening programs in certain export markets. This information is based on the most recent screening plans available for each market. Not all markets publish this data. The information included within is for informational purposes only and does not guarantee that a given pesticide will not be tested for as part of import inspection programs.
- **It is critical that growers, packers, and exporters understand that foreign residue screening programs change, and foreign regulators may at any time choose to analyze for any of the pesticides approved for use on blueberries in the United States.**
- Prior to shipping, exporters should confirm the established MRLs and that consignments comply with export market regulations.

II. Above-MRL Possibilities According to USDA Residue Data

- The following table indicates pesticides and markets where available pesticide residue data shows the possibility of an MRL violation. Data comes from a variety of public and private sources.
- Please note that these are not actual detections, and applying these pesticides does not automatically mean residues will always be above the export market's MRL. Regardless, growers should exercise caution and always remain aware of MRLs in export markets.
- Additionally, growers and shippers should also pay close attention to pesticides indicated in **red brackets, { }**, in the following tables. The pesticides in red in this memo indicate where a foreign MRL is more restrictive than the corresponding U.S. MRL. While not all restrictive MRLs are problematic, these represent situations where extra care should be exercised.
- While the pesticides in the table below have data to indicate that residues could exceed MRLs, data is not available for all pesticides, and it is possible that these pesticides could exhibit residues that could exceed foreign MRLs that are more restrictive than U.S. MRLs. In other words, the tables below do not necessarily represent the entire range of pesticides that could be problematic.

**Pesticides with Residue Detections Capable
of Exceeding MRLs in Major Markets**

Active Ingredient	Trade Name	Markets in which the detected residue would have exceeded the MRL
Acetamiprid	Assail	EU, India, Korea
Azoxystrobin	Abound / Quadris / Quadris Top	India
Bifenthrin	Brigade	India, Vietnam
Boscalid	Pristine	India
Buprofezin	Courier	China, Philippines, Taiwan, Vietnam
Chlorantraniliprole	Altacor	India
Chlorothalonil	Bravo	China, EU, Great Britain, India, Korea, Philippines, Thailand, Vietnam
Cyprodinil	Switch / Inspire Super	India
Difenoconazole	Inspire Super / Quadris Top	India, Vietnam
Diuron	Karmex / Diuron	China, Philippines, Taiwan, Vietnam
Esfenvalerate	Asana	EU, Great Britain, India, Philippines, Thailand, Vietnam
Fenazaquin	Magister	China, EU, Great Britain, India, Taiwan, Vietnam
Fenbuconazole	Indar	India
Fenhexamid	Elevate	India
Fenpropathrin	Danitol	EU, Great Britain, India, Philippines, Thailand, Vietnam
Fenpyroximate	Fujimite	Australia, Canada, China, India, Philippines, Thailand, Vietnam
Fludioxonil	Switch	India
Fluopyram	Luna Tranquility	India, Vietnam
Imidacloprid	Admire	India
Iprodione	Meteor	Canada, China, EU, Great Britain, India, Japan, Philippines, Thailand, Vietnam
Malathion	Malathion	EU, Great Britain, Taiwan
Metalaxyl	Metalaxyl 2E AG	China, EU, Great Britain, India, Korea, Philippines, Thailand, Vietnam
Metalaxyl-M (Mefenoxam)	Ridomil Gold	China, EU, Great Britain, India, Korea, Philippines, Thailand, Vietnam

**Pesticides with Residue Detections Capable
of Exceeding MRLs in Major Markets**

Active Ingredient	Trade Name	Markets in which the detected residue would have exceeded the MRL
Methomyl	Lannate	China, EU, Great Britain, India, Philippines, Thailand, Vietnam
Methoxyfenozide	Intrepid	India
Novaluron	Rimon	EU, India, Taiwan
Phosmet	Imidan	EU, India, Philippines, Taiwan, Thailand
Propiconazole	Tilt / Quilt Xcel	China, EU, Great Britain, India, Philippines, Thailand, Vietnam
Pyraclostrobin	Pristine	India
Pyrimethanil	Luna Tranquility	India, Vietnam
Simazine	Princep / Simazine	China, Philippines, Vietnam
Spinetoram	Delegate	India
Spinosad	Entrust	India
Spirotetramat	Movento	India, Taiwan
Thiamethoxam	Actara / Platnium	Canada, EU, Great Britain, India
Zeta-Cypermethrin	Mustang Maxx	Australia, Canada, China, EU, Great Britain, India, Japan, Korea, Vietnam

III. Australian MRL Status

FUNGICIDES: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	Yes
Boscalid	Pristine	13	{10}	4,500	3	0.0033	Yes
Captan	Captan	20	20	215,500	--	--	Yes
Chlorothalonil	Bravo	1	10	37,000	0.05	0.022	Yes
Cyprodinil	Switch / Inspire Super	3	3	12,700	0.62	0.0052	Yes
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	Yes
Fenbuconazole	Indar	0.3	0.3	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	Yes
Fenpyrazamine		5	5	--	--	--	--
Fluazinam	Omega	7	7	(D)	--	--	--
Fludioxonil	Switch	2	5	8,700	1.3	0.025	Yes
Fluopyram	Luna Tranquility	7	7	3300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	--
Fosetyl-Al	Aliette	40	40	--	--	--	--
Iprodione	Meteor	15	15	(D)	1.3	0.044	Yes
Isofetamid	Kenja	5	5	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	2	--	0.052	0.001	Yes

FUNGICIDES: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	2	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.5	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	--
Penthiopyrad	Fontelis	6	7	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	2	6,500	0.06	0.012	Yes
Prothioconazole	Proline / Propulse	2	2	800	--	--	--
Pydiflumetofen	Miravis Prime	5	5	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	Yes
Pyrimethanil	Luna Tranquility	8	8	9,200	0.62	0.05	Yes
Pyriofenone	Proливо	1.5	1.5	--	--	--	--
Sulfur dioxide		9	10	--	--	--	--
Ziram	Ziram	7	15	46,200	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026
- .

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
Acequinocyl	Kanemite	3	3	--	--	--	--
Acetamiprid	Assail	1.6	1.6	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	Yes
Broflanilide		0.01	{0.002}	--	--	--	--
Buprofezin	Courier	0.08	0.1	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	{0.02}	(D)	--	--	Yes
Chlorantraniliprole	Altacor	2.5	3	(D)	0.12	0.012	--
Cryolite		7	—	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	1.5	(D)	--	--	--
Diazinon	Diazinon	0.5	0.5	5,300	--	--	Yes
Dichlorvos		2	{0.01}	--	--	--	Yes
Esfenvalerate	Asana	1	1	700	0.056	0.01	--
Etofenprox		5	{0.05}	--	--	--	--
Fenazaquin	Magister	0.8	0.8	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	3	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	{0.1}	--	0.14	0.016	Yes
Flonicamid	Beleaf	1.5	{0.2}	--	--	--	--
Flupyradifurone	Sivanto	4	4	200	--	--	--
Imidacloprid	Admire	3.5	3.5	5,600	0.2	0.0035	--

INSECTICIDES: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
Indoxacarb	Avaunt	1.5	2	(D)	--	--	Yes
Malathion	Malathion	8	10	60,900	0.42	0.0021	Yes
Metaldehyde	Deadline	0.15	1	(D)	--	--	--
Methomyl	Lannate	6	{2}	12,200	0.22	0.041	Yes
Methoxyfenozide	Intrepid	3	{2}	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	20	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	--
Phosmet	Imidan	10	10	40,500	1.2	0.01	Yes
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	Yes
Pyriproxyfen	Knack	1	1	--	--	--	Yes
Spinetoram	Delegate	0.5	0.5	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.7	1,500	0.089	0.0035	Yes
Spirotetramat	Movento	3	3	1,700	0.2	0.0023	Yes
Sulfoxaflor	Squequoia / Transform	2	2	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	Yes
Thiamethoxam	Actara / Platnium	0.2	0.5	800	0.25	0.0034	Yes
Tolfenpyrad	Bexar	7	—	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	0.8	2,500	1.4 ^a	0.011 ^a	Yes ^a
(D): NASS withheld to avoid disclosing data for individual operations.							
^a Tested for as cypermethrin.							

HERBICIDES & OTHERS: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
2,4-D	Weedar	0.2	0.2	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	0.1	100	--	--	--
Clethodim	Select Max	0.2	0.2	3,000	--	--	--
Clopyralid	Stinger	0.5	0.5	--	--	--	--
Dichlobenil	Casoron	0.15	1	(D)	--	--	--
Dichlormid		0.05	—	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	0.05	--	--	--	--
Diuron	Karmex / Diuron	0.1	0.1	50,200	0.0019	0.0016	Yes
Ethephon	Ethephon	20	{10}	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	0.3	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	--
Fluridone	Brake On!	0.1	—	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.01	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1}	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.05}	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	0.05	--	--	--	--
Hexazinone	Velpar	0.6	0.6	5,700	--	--	--
Indaziflam	Alion	0.01	—	400	--	--	--
Isoxaben	Trellis	0.01	0.05	5,400	--	--	--

HERBICIDES & OTHERS: Status of Australian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Australia (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Australia Monitoring (2026)
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--
Napropamide	Devrinol	0.1	0.1	300	--	--	--
Norflurazon	Solicam	0.2	0.2	18,300	--	--	--
Oryzalin	Surflan	0.05	0.1	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	0.05	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	0.1	2,100	--	--	Yes
Piperonyl Butoxide	PBO / Reform	8	8	--	--	--	Yes
Propyzamide	Kerb	0.05	{0.02}	--	--	--	--
Quinclorac	Quin Star	0.08	0.08	100	--	--	--
Rimsulfuron	Matrix	0.01	0.02	500	--	--	--
Sethoxydim	Poast	4	4	300	--	--	--
Simazine	Princep / Simazine	0.2	0.2	22,900	0.0063	0.0063	--
S-metolachlor		0.15	—	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	—	500	--	--	--
Terbacil	Sinbar	0.2	0.2	10,400	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

IV. Canadian MRL Status

FUNGICIDES: Status of Canadian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
Azoxystrobin	Abound / Quadris / Quadris Top	5	{3}	10,900	1.9	0.0015	Yes
Boscalid	Pristine	13	{6}	4,500	3	0.0033	Yes
Captan	Captan	20	{5}	215,500	--	--	Yes
Chlorothalonil	Bravo	1	{0.6}	37,000	0.05	0.022	Yes
Cyprodinil	Switch / Inspire Super	3	4	12,700	0.62	0.0052	Yes
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	Yes
Fenbuconazole	Indar	0.3	0.3	8,300	0.018	0.0064	Yes
Fenhexamid	Elevate	5	{4}	(D)	0.56	0.013	Yes
Fenpyrazamine		5	5	--	--	--	--
Fluazinam	Omega	7	7	(D)	--	--	--
Fludioxonil	Switch	2	2	8,700	1.3	0.025	Yes
Fluopyram	Luna Tranquility	7	7	3300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	--
Fosetyl-Al	Aliette	40	40	--	--	--	--
Iprodione	Meteor	15	{0.07}	(D)	1.3	0.044	Yes
Isofetamid	Kenja	5	5	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	3	--	0.052	0.001	Yes

FUNGICIDES: Status of Canadian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	3	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.4	2,400	--	--	Yes
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	--
Penthiopyrad	Fontelis	6	6	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	1	6,500	0.06	0.012	Yes
Prothioconazole	Proline / Propulse	2	2	800	--	--	Yes
Pydiflumetofen	Miravis Prime	5	5	1,200	--	--	--
Pyraclostrobin	Pristine	4	{3.5}	2300	0.33	0.0034	Yes
Pyrimethanil	Luna Tranquility	8	8	9200	0.62	0.05	Yes
Pyriofenone	Prolivo	1.5	1.5	--	--	--	--
Sulfur dioxide		9	{0.1} *	--	--	--	--
Ziram	Ziram	7	{0.1} *	46,200	--	--	--

* Indicates where the Canadian default MRL of 0.1 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Canadian MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
Acequinocyl	Kanemite	3	3	--	--	--	--
Acetamiprid	Assail	1.6	1.6	2,500	0.83	0.0015	Yes
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	Yes
Broflanilide		0.01	0.01	--	--	--	--
Buprofezin	Courier	0.08	0.1 *	--	0.0026	0.0012	Yes
Carbaryl	Carbaryl 4L / Sevin	3	7	(D)	--	--	Yes
Chlorantraniliprole	Altacor	2.5	{0.35}	(D)	0.12	0.012	Yes
Cryolite		7	{0.1} *	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	1.5	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.1} *	5,300	--	--	Yes
Dichlorvos		2	{0.1} *	--	--	--	Yes
Esfenvalerate	Asana	1	{0.1} *	700	0.056	0.01	Yes
Etofenprox		5	{0.1} *	--	--	--	Yes
Fenazaquin	Magister	0.8	0.8	--	0.77	0.0052	Yes
Fenpropathrin	Danitol	3	3	1,600	0.94	0.02	Yes
Fenpyroximate	Fujimite	3	{0.1} *	--	0.14	0.016	Yes
Flonicamid	Beleaf	1.5	1.5	--	--	--	Yes
Flupyradifurone	Sivanto	4	4	200	--	--	--
Imidacloprid	Admire	3.5	3.5	5,600	0.2	0.0035	Yes

INSECTICIDES: Status of Canadian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
Indoxacarb	Avaunt	1.5	{0.1} *	(D)	--	--	Yes
Malathion	Malathion	8	8	60,900	0.42	0.0021	Yes
Metaldehyde	Deadline	0.15	{0.1} *	(D)	--	--	--
Methomyl	Lannate	6	6	12,200	0.22	0.041	Yes
Methoxyfenozone	Intrepid	3	4	2,400	0.29	0.0037	Yes
Methyl bromide	Methyl Bromide / MBC	20	{0.1} *	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	Yes
Phosmet	Imidan	10	{5}	40,500	1.2	0.01	Yes
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	Yes
Pyriproxyfen	Knack	1	1.5	--	--	--	Yes
Spinetoram	Delegate	0.5	0.5	400	0.034	0.0034	Yes
Spinosad	Entrust	0.4	0.5	1,500	0.089	0.0035	Yes
Spirotetramat	Movento	3	3	1,700	0.2	0.0023	Yes
Sulfoxaflor	Squeoia / Transform	2	2	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	Yes
Thiamethoxam	Actara / Platnium	0.2	0.2	800	0.25	0.0034	Yes
Tolfenpyrad	Bexar	7	{0.1} *	--	--	--	Yes
Zeta-Cypermethrin	Mustang Maxx	0.8	0.8	2,500	1.4 ^a	0.011 ^a	Yes ^a

* Indicates where the Canadian default MRL of 0.1 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Canadian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
2,4-D	Weedar	0.2	{0.01}	(D)	--	--	Yes
Benoxacor		0.01	0.1 *	--	--	--	Yes
Carfentrazone-ethyl	Aim / Zues	0.1	0.1	100	--	--	Yes
Clethodim	Select Max	0.2	0.2	3,000	--	--	Yes
Clopyralid	Stinger	0.5	{0.1}	--	--	--	Yes
Dichlobenil	Casoron	0.15	0.5	(D)	--	--	Yes
Dichlormid		0.05	0.1 *	--	--	--	Yes
Diquat dibromide	Diquat / Reglone	0.05	0.1 *	--	--	--	--
Diuron	Karmex / Diuron	0.1	0.1 *	50,200	0.0019	0.0016	Yes
Ethephon	Ethephon	20	{10}	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	{0.1}	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	--
Fluridone	Brake On!	0.1	0.1 *	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.1 *	(D)	--	--	Yes
Glufosinate-ammonium	Rely	0.15	{0.1}	43800	--	--	--
Glyphosate	RoundUp	0.2	{0.1} *	1,600	--	--	Yes
Halosulfuron-methyl	Sandea	0.05	0.05	--	--	--	--
Hexazinone	Velpar	0.6	{0.1} *	5700	--	--	Yes
Indaziflam	Alion	0.01	0.01	400	--	--	--
Isoxaben	Trellis	0.01	0.1 *	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01	3800	--	--	Yes

HERBICIDES & OTHERS: Status of Canadian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Canada (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Canada Monitoring (2021-22)
Napropamide	Devrinol	0.1	0.1	300	--	--	Yes
Norflurazon	Solicam	0.2	{0.1} *	18,300	--	--	Yes
Oryzalin	Surflan	0.05	0.1 *	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	0.05	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	0.1 *	2,100	--	--	Yes
Piperonyl Butoxide	PBO / Reform	8	8	--	--	--	Yes
Propyzamide	Kerb	0.05	0.1 *	--	--	--	Yes
Quinclorac	Quin Star	0.08	0.1 *	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01	500	--	--	--
Sethoxydim	Poast	4	4	300	--	--	--
Simazine	Princep / Simazine	0.2	{0.1} *	22,900	0.0063	0.0063	Yes
S-metolachlor		0.15	0.15	12,900	--	--	Yes
Sulfentrazone	Zeus / Arterio	0.15	0.15	500	--	--	Yes
Terbacil	Sinbar	0.2	{0.1} *	10,400	--	--	Yes

* Indicates where the Canadian default MRL of 0.1 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

V. Chinese MRL Status

FUNGICIDES: Status of Chinese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	--
Boscalid	Pristine	13	{10}	4,500	3	0.0033	--
Captan	Captan	20	20	215,500	--	--	--
Chlorothalonil	Bravo	1	—	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	10	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	5	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	--
Fenpyrazamine		5	{4}	--	--	--	--
Fluazinam	Omega	7	—	(D)	--	--	--
Fludioxonil	Switch	2	2	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	7	3300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	--
Fosetyl-Al	Aliette	40	—	--	--	--	--
Iprodione	Meteor	15	—	(D)	1.3	0.044	--
Isofetamid	Kenja	5	—	(D)	--	--	--
Mefentrifluconazole	Cevya	5	—	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	—	--	0.052	0.001	--

FUNGICIDES: Status of Chinese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	—	(D)	0.052	0.001	--
Metconazole	Quash	0.4	—	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	—	--	--	--	--
Penthiopyrad	Fontelis	6	—	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	—	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{1.5}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	—	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	8	9,200	0.62	0.05	--
Pyriofenone	Proливо	1.5	—	--	--	--	--
Sulfur dioxide		9	—	--	--	--	--
Ziram	Ziram	7	—	46,200	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Chinese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
Acequinocyl	Kanemite	3	{0.01}	--	--	--	--
Acetamiprid	Assail	1.6	2	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	--
Broflanilide		0.01	—	--	--	--	--
Buprofezin	Courier	0.08	—	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	—	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1}	(D)	0.12	0.012	--
Cryolite		7	—	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	—	(D)	--	--	--
Diazinon	Diazinon	0.5	—	5,300	--	--	--
Dichlorvos		2	{0.2}	--	--	--	--
Esfenvalerate	Asana	1	{0.2}	700	0.056	0.01	--
Etofenprox		5	—	--	--	--	--
Fenazaquin	Magister	0.8	—	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	5	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	—	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	—	--	--	--	--
Flupyradifurone	Sivanto	4	4	200	--	--	--
Imidacloprid	Admire	3.5	5	5,600	0.2	0.0035	--
Indoxacarb	Avaunt	1.5	—	(D)	--	--	--

INSECTICIDES: Status of Chinese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
Malathion	Malathion	8	10	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	—	(D)	--	--	--
Methomyl	Lannate	6	{0.2}	12,200	0.22	0.041	--
Methoxyfenozide	Intrepid	3	4	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	{0.02}	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	--
Phosmet	Imidan	10	10	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	—	200	--	--	--
Pyriproxyfen	Knack	1	—	--	--	--	--
Spinetoram	Delegate	0.5	{0.2}	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.4	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{1.5}	1,700	0.2	0.0023	--
Sulfoxaflor	Squeoia / Transform	2	—	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	0.5	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	—	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	—	2,500	1.4 ^a	0.011 ^a	--

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Chinese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
2,4-D	Weedar	0.2	{0.1}	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	—	100	--	--	--
Clethodim	Select Max	0.2	—	3,000	--	--	--
Clopyralid	Stinger	0.5	—	--	--	--	--
Dichlobenil	Casoron	0.15	0.2	(D)	--	--	--
Dichlormid		0.05	—	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	—	--	--	--	--
Diuron	Karmex / Diuron	0.1	—	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	20	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	—	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	--
Fluridone	Brake On!	0.1	—	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	—	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1}	43800	--	--	--
Glyphosate	RoundUp	0.2	{0.1}	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	—	--	--	--	--
Hexazinone	Velpar	0.6	—	5,700	--	--	--
Indaziflam	Alion	0.01	—	400	--	--	--
Isoxaben	Trellis	0.01	—	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--

HERBICIDES & OTHERS: Status of Chinese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	China (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	China Monitoring
Napropamide	Devrinol	0.1	—	300	--	--	--
Norflurazon	Solicam	0.2	—	18,300	--	--	--
Oryzalin	Surflan	0.05	—	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.01}	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	—	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	—	--	--	--	--
Propyzamide	Kerb	0.05	—	--	--	--	--
Quinclorac	Quin Star	0.08	—	100	--	--	--
Rimsulfuron	Matrix	0.01	—	500	--	--	--
Sethoxydim	Poast	4	—	300	--	--	--
Simazine	Princep / Simazine	0.2	—	22,900	0.0063	0.0063	--
S-metolachlor		0.15	—	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	—	500	--	--	--
Terbacil	Sinbar	0.2	—	10,400	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

VI. European Union MRL Status

FUNGICIDES: Status of European Union MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	--
Boscalid	Pristine	13	15	4,500	3	0.0033	--
Captan	Captan	20	30	215,500	--	--	--
Chlorothalonil	Bravo	1	{0.01}	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	8	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	20	(D)	0.56	0.013	--
Fenpyrazamine		5	{4}	--	--	--	--
Fluazinam	Omega	7	{3}	(D)	--	--	--
Fludioxonil	Switch	2	4	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	7	3,300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	--
Fosetyl-Al	Aliette	40	150	--	--	--	--
Iprodione	Meteor	15	{0.01}	(D)	1.3	0.044	--

FUNGICIDES: Status of European Union MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
Isofetamid	Kenja	5	{4}	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	{0.01}	--	0.052	0.001	--
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	{0.01}	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.4	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	--
Penthiopyrad	Fontelis	6	{0.01}	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	{0.01}	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{0.01}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	{0.01} *	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	8	9,200	0.62	0.05	--
Pyriofenone	Prolivo	1.5	1.5	--	--	--	--
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	{0.1}	46,200	--	--	--

* Indicates where the European default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of European Union MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
Acequinocyl	Kanemite	3	{0.01}	--	--	--	--
Acetamiprid	Assail	1.6	{0.7}	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	--
Broflanilide		0.01	0.01 *	--	--	--	--
Buprofezin	Courier	0.08	{0.01}	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	{0.01}	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1.5}	(D)	0.12	0.012	--
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	{0.01}	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.01}	5,300	--	--	--
Dichlorvos		2	{0.01}	--	--	--	--
Esfenvalerate	Asana	1	{0.02}	700	0.056	0.01	--
Etofenprox		5	{0.01}	--	--	--	--
Fenazaquin	Magister	0.8	{0.01}	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	{0.01}	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	{0.4}	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	{0.8}	--	--	--	--
Flupyradifurone	Sivanto	4	4	200	--	--	--
Imidacloprid	Admire	3.5	5	5,600	0.2	0.0035	--

INSECTICIDES: Status of European Union MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
Indoxacarb	Avaunt	1.5	{0.01}	(D)	--	--	--
Malathion	Malathion	8	{0.02}	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	{0.05}	(D)	--	--	--
Methomyl	Lannate	6	{0.01}	12,200	0.22	0.041	--
Methoxyfenozone	Intrepid	3	4	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	{5}	--	--	--	--
Novaluron	Rimon	7	{0.01}	(D)	0.47	0.01	--
Phosmet	Imidan	10	{0.01}	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	--
Pyriproxyfen	Knack	1	{0.01}	--	--	--	--
Spinetoram	Delegate	0.5	{0.4}	400	0.034	0.0034	--
Spinosad	Entrust	0.4	1.5	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{1.5}	1,700	0.2	0.0023	--
Sulfoxaflor	Squeoia / Transform	2	{0.01}	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	{0.01}	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	{0.01} *	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	{0.05}	2,500	1.4 ^a	0.011 ^a	--

* Indicates where the European default MRL of 0.01 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of European Union MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
2,4-D	Weedar	0.2	{0.1}	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	{0.02}	100	--	--	--
Clethodim	Select Max	0.2	{0.1}	3,000	--	--	--
Clopyralid	Stinger	0.5	0.5	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01}	(D)	--	--	--
Dichlormid		0.05	{0.01} *	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	{0.01}	--	--	--	--
Diuron	Karmex / Diuron	0.1	{0.01}	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	20 Pending {0.01} Aug 19, 2026	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	0.3	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	--
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.01	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	0.9	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.1}	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	{0.01}	--	--	--	--
Hexazinone	Velpar	0.6	{0.01} *	5,700	--	--	--

HERBICIDES & OTHERS: Status of European Union MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	European Union (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	European Union Monitoring (2026)
Indaziflam	Alion	0.01	0.01 *	400	--	--	--
Isoxaben	Trellis	0.01	0.01	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--
Napropamide	Devrinol	0.1	{0.01}	300	--	--	--
Norflurazon	Solicam	0.2	{0.01} *	18,300	--	--	--
Oryzalin	Surflan	0.05	{0.01}	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.02}	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.05}	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	—	--	--	--	--
Propyzamide	Kerb	0.05	{0.01}	--	--	--	--
Quinclorac	Quin Star	0.08	{0.01}	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01	500	--	--	--
Sethoxydim	Poast	4	{0.1}	300	--	--	--
Simazine	Princep / Simazine	0.2	{0.01}	22,900	0.0063	0.0063	--
S-metolachlor		0.15	{0.01}	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	{0.01} *	500	--	--	--
Terbacil	Sinbar	0.2	{0.01} *	10,400	--	--	--

* Indicates where the European default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

VII. Great Britain MRL Status

FUNGICIDES: Status of Great Britain MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	--
Boscalid	Pristine	13	15	4,500	3	0.0033	--
Captan	Captan	20	30	215,500	--	--	--
Chlorothalonil	Bravo	1	{0.01}	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	10	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	20	(D)	0.56	0.013	--
Fenpyrazamine		5	{4}	--	--	--	--
Fluazinam	Omega	7	{3}	(D)	--	--	--
Fludioxonil	Switch	2	5	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	7	3,300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	--
Fosetyl-Al	Aliette	40	80	--	--	--	--
Iprodione	Meteor	15	{0.01}	(D)	1.3	0.044	--
Isofetamid	Kenja	5	{4}	(D)	--	--	--
Mefentrifluconazole	Cevya	5	{2}	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	{0.01}	--	0.052	0.001	--

FUNGICIDES: Status of Great Britain MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	{0.01}	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.4	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	--
Penthiopyrad	Fontelis	6	7	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	{0.01}	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{0.01}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	{0.01}	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	8	9,200	0.62	0.05	--
Pyriofenone	Proливо	1.5	1.5	--	--	--	--
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	{0.1}	46,200	--	--	--

* Indicates where the GB default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Great Britain MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
Acequinocyl	Kanemite	3	{0.01}	--	--	--	--
Acetamiprid	Assail	1.6	2	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	--
Broflanilide		0.01	0.01	--	--	--	--
Buprofezin	Courier	0.08	{0.01}	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	{0.01}	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1.5}	(D)	0.12	0.012	--
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	{0.01}	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.01}	5,300	--	--	--
Dichlorvos		2	{0.01}	--	--	--	--
Esfenvalerate	Asana	1	{0.02}	700	0.056	0.01	--
Etofenprox		5	{0.01}	--	--	--	--
Fenazaquin	Magister	0.8	{0.01}	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	{0.01}	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	{2}	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	1.5	--	--	--	--
Flupyradifurone	Sivanto	4	{0.01}	200	--	--	--
Imidacloprid	Admire	3.5	5	5,600	0.2	0.0035	--

INSECTICIDES: Status of Great Britain MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
Indoxacarb	Avaunt	1.5	{0.8}	(D)	--	--	--
Malathion	Malathion	8	{0.02}	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	{0.05}	(D)	--	--	--
Methomyl	Lannate	6	{0.01}	12,200	0.22	0.041	--
Methoxyfenozone	Intrepid	3	4	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	{5}	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	--
Phosmet	Imidan	10	10	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	--
Pyriproxyfen	Knack	1	{0.05}	--	--	--	--
Spinetoram	Delegate	0.5	{0.4}	400	0.034	0.0034	--
Spinosad	Entrust	0.4	1.5	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{0.7}	1,700	0.2	0.0023	--
Sulfoxaflor	Squeoia / Transform	2	{0.01}	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	{0.01}	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	{0.01}	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	{0.05}	2,500	1.4 ^a	0.011 ^a	--

* Indicates where the GB default MRL of 0.01 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Great Britain MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
2,4-D	Weedar	0.2	{0.1}	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	{0.01}	100	--	--	--
Clethodim	Select Max	0.2	{0.1}	3,000	--	--	--
Clopyralid	Stinger	0.5	0.5	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01}	(D)	--	--	--
Dichlormid		0.05	{0.01} *	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	{0.01}	--	--	--	--
Diuron	Karmex / Diuron	0.1	{0.01}	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	20	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	{0.1}	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	--
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.01	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	0.9	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.1}	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	{0.01}	--	--	--	--
Hexazinone	Velpar	0.6	{0.01} *	5,700	--	--	--
Indaziflam	Alion	0.01	0.01 *	400	--	--	--
Isoxaben	Trellis	0.01	0.05	5,400	--	--	--

HERBICIDES & OTHERS: Status of Great Britain MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Great Britain (GB) MRLs apply to England, Scotland, and Wales. EU MRLs apply to Northern Ireland.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Great Britain (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	GB Monitoring (2026)
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--
Napropamide	Devrinol	0.1	0.1	300	--	--	--
Norflurazon	Solicam	0.2	{0.01} *	18,300	--	--	--
Oryzalin	Surflan	0.05	{0.01}	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.02}	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.05}	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	—	--	--	--	--
Propyzamide	Kerb	0.05	{0.01}	--	--	--	--
Quinclorac	Quin Star	0.08	{0.01}	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01	500	--	--	--
Sethoxydim	Poast	4	{0.1}	300	--	--	--
Simazine	Princep / Simazine	0.2	{0.01}	22,900	0.0063	0.0063	--
S-metolachlor		0.15	{0.05}	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	{0.01} *	500	--	--	--
Terbacil	Sinbar	0.2	{0.01} *	10,400	--	--	--

* Indicates where the GB default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

VIII. Indian MRL Status

FUNGICIDES: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
Azoxystrobin	Abound / Quadris / Quadris Top	5	{0.01} *	10,900	1.9	0.0015	--
Boscalid	Pristine	13	{0.01} *	4,500	3	0.0033	--
Captan	Captan	20	{15}	215,500	--	--	--
Chlorothalonil	Bravo	1	{0.01} *	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	{0.01} *	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	{0.01} *	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	{0.01} *	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	{0.01} *	(D)	0.56	0.013	--
Fenpyrazamine		5	{0.01} *	--	--	--	--
Fluazinam	Omega	7	{0.01} *	(D)	--	--	--
Fludioxonil	Switch	2	{0.01} *	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	{0.01} *	3,300	1.1	0.0055	--
Fluxapyroxad		7	{0.01} *	--	--	--	--
Fosetyl-Al	Aliette	40	{0.01} *	--	--	--	--
Iprodione	Meteor	15	{0.01} *	(D)	1.3	0.044	--
Isofetamid	Kenja	5	{0.01} *	(D)	--	--	--
Mefentrifluconazole	Cevya	5	{0.01} *	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	{0.01} *	--	0.052	0.001	--

FUNGICIDES: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	{0.01} *	(D)	0.052	0.001	--
Metconazole	Quash	0.4	{0.01} *	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	{0.01} *	--	--	--	--
Penthiopyrad	Fontelis	6	{0.01} *	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	{0.01} *	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{0.01} *	800	--	--	--
Pydiflumetofen	Miravis Prime	5	{0.01} *	1,200	--	--	--
Pyraclostrobin	Pristine	4	{0.01} *	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	{0.01} *	9,200	0.62	0.05	--
Pyriofenone	Prolivo	1.5	{0.01} *	--	--	--	--
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	{0.01} *	46,200	--	--	--

* Indicates where the Indian default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
Acequinocyl	Kanemite	3	{0.01} *	--	--	--	--
Acetamiprid	Assail	1.6	{0.01} *	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	{0.01} *	9,700	0.54	0.0022	--
Broflanilide		0.01	0.01 *	--	--	--	--
Buprofezin	Courier	0.08	{0.01} *	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	{0.01} *	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{0.01} *	(D)	0.12	0.012	--
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	{0.01} *	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	{0.01} *	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.01} *	5,300	--	--	--
Dichlorvos		2	{0.1}	--	--	--	--
Esfenvalerate	Asana	1	{0.01} *	700	0.056	0.01	--
Etofenprox		5	{0.01} *	--	--	--	--
Fenazaquin	Magister	0.8	{0.01} *	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	{0.01} *	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	{0.01} *	--	0.14	0.016	--
Fonicamid	Beleaf	1.5	{0.01} *	--	--	--	--
Flupyradifurone	Sivanto	4	{0.01} *	200	--	--	--
Imidacloprid	Admire	3.5	{0.01} *	5,600	0.2	0.0035	--

INSECTICIDES: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
Indoxacarb	Avaunt	1.5	{0.01} *	(D)	--	--	--
Malathion	Malathion	8	{4}	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	{0.01} *	(D)	--	--	--
Methomyl	Lannate	6	{0.01} *	12,200	0.22	0.041	--
Methoxyfenozide	Intrepid	3	{0.01} *	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	{0.01} *	--	--	--	--
Novaluron	Rimon	7	{0.01} *	(D)	0.47	0.01	--
Phosmet	Imidan	10	{0.01} *	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	{0.01} *	200	--	--	--
Pyriproxyfen	Knack	1	{0.01} *	--	--	--	--
Spinetoram	Delegate	0.5	{0.01} *	400	0.034	0.0034	--
Spinosad	Entrust	0.4	{0.01} *	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{0.01} *	1,700	0.2	0.0023	--
Sulfoxaflor	Squequoia / Transform	2	{0.01} *	(D)	--	--	--
Tebufenozide	Confirm	3	{0.01} *	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	{0.01} *	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	{0.01} *	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	{0.01} *	2,500	1.4 ^a	0.011 ^a	--

* Indicates where the Indian default MRL of 0.01 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
2,4-D	Weedar	0.2	2	(D)	--	--	--
Benoxacor		0.01	0.01 *	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	{0.01} *	100	--	--	--
Clethodim	Select Max	0.2	{0.01} *	3,000	--	--	--
Clopyralid	Stinger	0.5	{0.01} *	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01} *	(D)	--	--	--
Dichlormid		0.05	{0.01} *	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	{0.01} *	--	--	--	--
Diuron	Karmex / Diuron	0.1	{0.01} *	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	{0.01} *	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	{0.01} *	(D)	--	--	--
Flumioxazin	Chateau	0.02	{0.01} *	4,300	--	--	--
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.01 *	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.01} *	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.01} *	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	{0.01} *	--	--	--	--
Hexazinone	Velpar	0.6	{0.01} *	5,700	--	--	--
Indaziflam	Alion	0.01	0.01 *	400	--	--	--
Isoxaben	Trellis	0.01	0.01 *	5,400	--	--	--

HERBICIDES & OTHERS: Status of Indian MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	India (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	India Monitoring
Mesotrione	Callisto	0.01	0.01 *	3,800	--	--	--
Napropamide	Devrinol	0.1	{0.01} *	300	--	--	--
Norflurazon	Solicam	0.2	{0.01} *	18,300	--	--	--
Oryzalin	Surflan	0.05	{0.01} *	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	0.05	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.01} *	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	{0.01} *	--	--	--	--
Propyzamide	Kerb	0.05	{0.01} *	--	--	--	--
Quinclorac	Quin Star	0.08	{0.01} *	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01 *	500	--	--	--
Sethoxydim	Poast	4	{0.01} *	300	--	--	--
Simazine	Princep / Simazine	0.2	{0.01} *	22,900	0.0063	0.0063	--
S-metolachlor		0.15	{0.01} *	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	{0.01} *	500	--	--	--
Terbacil	Sinbar	0.2	{0.01} *	10,400	--	--	--

* Indicates where the Indian default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

IX. Japanese MRL Status

FUNGICIDES: Status of Japanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	Yes
Boscalid	Pristine	13	{10}	4,500	3	0.0033	Yes
Captan	Captan	20	20	215,500	--	--	Yes
Chlorothalonil	Bravo	1	1	37,000	0.05	0.022	Yes
Cyprodinil	Switch / Inspire Super	3	5	12,700	0.62	0.0052	Yes
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	Yes
Fenbuconazole	Indar	0.3	0.7	8,300	0.018	0.0064	Yes
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	Yes
Fenpyrazamine		5	5	--	--	--	Yes
Fluazinam	Omega	7	{4}	(D)	--	--	Yes
Fludioxonil	Switch	2	2	8,700	1.3	0.025	Yes
Fluopyram	Luna Tranquility	7	7	3,300	1.1	0.0055	--
Fluxapyroxad		7	7	--	--	--	Yes
Fosetyl-Al	Aliette	40	70	--	--	--	Yes
Iprodione	Meteor	15	{0.01} *	(D)	1.3	0.044	Yes
Isofetamid	Kenja	5	5	(D)	--	--	--

FUNGICIDES: Status of Japanese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
Mefentrifluconazole	Cevya	5	5	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	2	--	0.052	0.001	Yes
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	2	(D)	0.052	0.001	Yes
Metconazole	Quash	0.4	0.4	2,400	--	--	Yes
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	--
Penthiopyrad	Fontelis	6	7	300	--	--	Yes
Propiconazole	Tilt / Quilt Xcel	1	1	6,500	0.06	0.012	Yes
Prothioconazole	Proline / Propulse	2	2	800	--	--	--
Pydiflumetofen	Miravis Prime	5	5	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	Yes
Pyrimethanil	Luna Tranquility	8	{5}	9,200	0.62	0.05	Yes
Pyriofenone	Prolivo	1.5	2	--	--	--	--
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	{5}	46,200	--	--	--

* Indicates where the Japanese default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Japanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
Acequinocyl	Kanemite	3	{0.01} *	--	--	--	--
Acetamiprid	Assail	1.6	2	2,500	0.83	0.0015	Yes
Bifenthrin	Brigade	1.8	3	9,700	0.54	0.0022	Yes
Broflanilide		0.01	0.01 *	--	--	--	--
Buprofezin	Courier	0.08	{0.01} *	--	0.0026	0.0012	Yes
Carbaryl	Carbaryl 4L / Sevin	3	3	(D)	--	--	Yes
Chlorantraniliprole	Altacor	2.5	3	(D)	0.12	0.012	Yes
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	Yes
Cyclaniliprole	Verdepryn	1.5	2	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.05}	5,300	--	--	Yes
Dichlorvos		2	{0.1}	--	--	--	--
Esfenvalerate	Asana	1	1	700	0.056	0.01	--
Etofenprox		5	{0.01} *	--	--	--	Yes
Fenazaquin	Magister	0.8	2	--	0.77	0.0052	Yes
Fenpropathrin	Danitol	3	3	1,600	0.94	0.02	Yes
Fenpyroximate	Fujimite	3	{2}	--	0.14	0.016	Yes
Flonicamid	Beleaf	1.5	{0.01} *	--	--	--	Yes
Flupyradifurone	Sivanto	4	4	200	--	--	--
Imidacloprid	Admire	3.5	4	5,600	0.2	0.0035	Yes
Indoxacarb	Avaunt	1.5	{0.01} *	(D)	--	--	Yes

INSECTICIDES: Status of Japanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
Malathion	Malathion	8	10	60,900	0.42	0.0021	Yes
Metaldehyde	Deadline	0.15	{0.01} *	(D)	--	--	--
Methomyl	Lannate	6	{1}	12,200	0.22	0.041	Yes
Methoxyfenozide	Intrepid	3	4	2,400	0.29	0.0037	Yes
Methyl bromide	Methyl Bromide / MBC	20	20	--	--	--	Yes
Novaluron	Rimon	7	7	(D)	0.47	0.01	Yes
Phosmet	Imidan	10	10	40,500	1.2	0.01	Yes
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	Yes
Pyriproxyfen	Knack	1	1	--	--	--	Yes
Spinetoram	Delegate	0.5	0.5	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.4	1,500	0.089	0.0035	Yes
Spirotetramat	Movento	3	3 Pending {2} Apr 23, 2026	1,700	0.2	0.0023	Yes
Sulfoxaflor	Squequoia / Transform	2	2	(D)	--	--	Yes
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	Yes
Thiamethoxam	Actara / Platnium	0.2	0.5	800	0.25	0.0034	Yes
Tolfenpyrad	Bexar	7	{0.01} *	--	--	--	Yes
Zeta-Cypermethrin	Mustang Maxx	0.8	0.8	2,500	1.4 ^a	0.011 ^a	Yes ^a

* Indicates where the Japanese default MRL of 0.01 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Japanese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
2,4-D	Weedar	0.2	0.2	(D)	--	--	Yes
Benoxacor		0.01	0.01 *	--	--	--	Yes
Carfentrazone-ethyl	Aim / Zues	0.1	0.1	100	--	--	Yes
Clethodim	Select Max	0.2	{0.01} *	3,000	--	--	--
Clopyralid	Stinger	0.5	{0.01} *	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01} *	(D)	--	--	--
Dichlormid		0.05	{0.01} *	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	{0.01}	--	--	--	Yes
Diuron	Karmex / Diuron	0.1	{0.05}	50,200	0.0019	0.0016	Yes
Ethephon	Ethephon	20	20	--	--	--	Yes
Fluazifop-P-butyl	Fusilade	0.3	{0.01} *	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02	4,300	--	--	Yes
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	Yes
Forchlorfenuron	Kimzall / Splendor	0.01	0.1	(D)	--	--	Yes
Glufosinate-ammonium	Rely	0.15	{0.1}	43,800	--	--	Yes
Glyphosate	RoundUp	0.2	0.2	1,600	--	--	Yes
Halosulfuron-methyl	Sandea	0.05	0.05	--	--	--	--
Hexazinone	Velpar	0.6	{0.2}	5,700	--	--	--
Indaziflam	Alion	0.01	0.01 *	400	--	--	--
Isoxaben	Trellis	0.01	0.01 *	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--

HERBICIDES & OTHERS: Status of Japanese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Japan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Japan Monitoring (2026)
Napropamide	Devrinol	0.1	0.1	300	--	--	Yes
Norflurazon	Solicam	0.2	0.2	18,300	--	--	Yes
Oryzalin	Surflan	0.05	0.08	--	--	--	Yes
Paraquat dichloride	Gramoxone	0.05	{0.01}	5,300	--	--	Yes
Pendimethalin	PAVILION H20	0.1	{0.05}	2,100	--	--	Yes
Piperonyl Butoxide	PBO / Reform	8	8	--	--	--	Yes
Propyzamide	Kerb	0.05	{0.01} *	--	--	--	Yes
Quinclorac	Quin Star	0.08	2	100	--	--	--
Rimsulfuron	Matrix	0.01	0.05	500	--	--	--
Sethoxydim	Poast	4	4	300	--	--	Yes
Simazine	Princep / Simazine	0.2	0.2	22,900	0.0063	0.0063	Yes
S-metolachlor		0.15	{0.01} *	12,900	--	--	Yes
Sulfentrazone	Zeus / Arterio	0.15	{0.05}	500	--	--	Yes
Terbacil	Sinbar	0.2	{0.1}	10,400	--	--	Yes

* Indicates where the Japanese default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

X. Korean MRL Status

FUNGICIDES: Status of Korean MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	7	10,900	1.9	0.0015	Yes
Boscalid	Pristine	13	{10}	4,500	3	0.0033	Yes
Captan	Captan	20	20	215,500	--	--	--
Chlorothalonil	Bravo	1	{0.01} *	37,000	0.05	0.022	Yes
Cyprodinil	Switch / Inspire Super	3	4	12,700	0.62	0.0052	Yes
Difenoconazole	Inspire Super / Quadris Top	4	4	400	0.19	0.01	Yes
Fenbuconazole	Indar	0.3	0.3	8,300	0.018	0.0064	Yes
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	Yes
Fenpyrazamine		5	{4}	--	--	--	Yes
Fluazinam	Omega	7	{5}	(D)	--	--	Yes
Fludioxonil	Switch	2	2	8,700	1.3	0.025	Yes
Fluopyram	Luna Tranquility	7	{6}	3,300	1.1	0.0055	Yes
Fluxapyroxad		7	7	--	--	--	Yes
Fosetyl-Al	Aliette	40	40	--	--	--	--
Iprodione	Meteor	15	{10}	(D)	1.3	0.044	Yes
Isofetamid	Kenja	5	7	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5	--	--	--	Yes
Metalaxyl	Metalaxyl 2E AG	2	{0.01} *	--	0.052	0.001	Yes

FUNGICIDES: Status of Korean MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	{0.01} *	(D)	0.052	0.001	--
Metconazole	Quash	0.4	2	2,400	--	--	Yes
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	Yes
Penthiopyrad	Fontelis	6	{1}	300	--	--	Yes
Propiconazole	Tilt / Quilt Xcel	1	1	6,500	0.06	0.012	Yes
Prothioconazole	Proline / Propulse	2	{1.5}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	5	1,200	--	--	Yes
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	Yes
Pyrimethanil	Luna Tranquility	8	8	9,200	0.62	0.05	Yes
Pyriofenone	Prolivo	1.5	1.5	--	--	--	Yes
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	10	46,200	--	--	--

* Indicates where the Korean default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Korean MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
Acequinocyl	Kanemite	3	3	--	--	--	--
Acetamiprid	Assail	1.6	{0.5}	2,500	0.83	0.0015	Yes
Bifenthrin	Brigade	1.8	1.8	9,700	0.54	0.0022	Yes
Broflanilide		0.01	0.01 *	--	--	--	--
Buprofezin	Courier	0.08	0.5	--	0.0026	0.0012	Yes
Carbaryl	Carbaryl 4L / Sevin	3	{0.01} *	(D)	--	--	Yes
Chlorantraniliprole	Altacor	2.5	{1}	(D)	0.12	0.012	Yes
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	Yes
Cyclaniliprole	Verdepryn	1.5	1.5	(D)	--	--	Yes
Diazinon	Diazinon	0.5	{0.01} *	5,300	--	--	Yes
Dichlorvos		2	{0.03}	--	--	--	Yes
Esfenvalerate	Asana	1	3	700	0.056	0.01	--
Etofenprox		5	5	--	--	--	Yes
Fenazaquin	Magister	0.8	0.8	--	0.77	0.0052	Yes
Fenpropathrin	Danitol	3	3	1,600	0.94	0.02	Yes
Fenpyroximate	Fujimite	3	{0.3}	--	0.14	0.016	Yes
Flonicamid	Beleaf	1.5	{1}	--	--	--	Yes
Flupyradifurone	Sivanto	4	4	200	--	--	Yes
Imidacloprid	Admire	3.5	4	5,600	0.2	0.0035	Yes
Indoxacarb	Avaunt	1.5	2	(D)	--	--	Yes

INSECTICIDES: Status of Korean MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
Malathion	Malathion	8	10	60,900	0.42	0.0021	Yes
Metaldehyde	Deadline	0.15	{0.01} *	(D)	--	--	--
Methomyl	Lannate	6	6	12,200	0.22	0.041	Yes
Methoxyfenozide	Intrepid	3	3	2,400	0.29	0.0037	Yes
Methyl bromide	Methyl Bromide / MBC	20	{0.1}	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	Yes
Phosmet	Imidan	10	10	40,500	1.2	0.01	Yes
Pyrethrins	Azera / Pyrenone	1	1	200	--	--	--
Pyriproxyfen	Knack	1	1	--	--	--	Yes
Spinetoram	Delegate	0.5	{0.2}	400	0.034	0.0034	Yes
Spinosad	Entrust	0.4	1	1,500	0.089	0.0035	Yes
Spirotetramat	Movento	3	3	1,700	0.2	0.0023	Yes
Sulfoxaflor	Sqequoia / Transform	2	2	(D)	--	--	Yes
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	Yes
Thiamethoxam	Actara / Platnium	0.2	1	800	0.25	0.0034	Yes
Tolfenpyrad	Bexar	7	{0.01} *	--	--	--	Yes
Zeta-Cypermethrin	Mustang Maxx	0.8	0.8	2,500	1.4 ^a	0.011 ^a	Yes ^a

* Indicates where the Korean default MRL of 0.01 ppm applies because no specific MRL has been established.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Korean MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
2,4-D	Weedar	0.2	{0.03}	(D)	--	--	--
Benoxacor		0.01	0.01 *	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	{0.01} *	100	--	--	Yes
Clethodim	Select Max	0.2	{0.01} *	3,000	--	--	--
Clopyralid	Stinger	0.5	0.5	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01} *	(D)	--	--	Yes
Dichlormid		0.05	{0.01} *	--	--	--	Yes
Diquat dibromide	Diquat / Reglone	0.05	{0.01} *	--	--	--	--
Diuron	Karmex / Diuron	0.1	{0.01} *	50,200	0.0019	0.0016	Yes
Ethephon	Ethephon	20	{0.01} *	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	{0.01} *	(D)	--	--	--
Flumioxazin	Chateau	0.02	{0.01} *	4,300	--	--	Yes
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	Yes
Forchlorfenuron	Kimzall / Splendor	0.01	0.01 *	(D)	--	--	Yes
Glufosinate-ammonium	Rely	0.15	{0.1}	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.05}	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	{0.01} *	--	--	--	--
Hexazinone	Velpar	0.6	{0.05}	5,700	--	--	Yes
Indaziflam	Alion	0.01	0.01 *	400	--	--	--
Isoxaben	Trellis	0.01	0.01 *	5,400	--	--	Yes
Mesotrione	Callisto	0.01	0.01 *	3,800	--	--	Yes

HERBICIDES & OTHERS: Status of Korean MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Korea (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Korea Monitoring (2026)
Napropamide	Devrinol	0.1	{0.01} *	300	--	--	Yes
Norflurazon	Solicam	0.2	{0.01} *	18,300	--	--	Yes
Oryzalin	Surflan	0.05	{0.01} *	--	--	--	Yes
Paraquat dichloride	Gramoxone	0.05	{0.01} *	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.01} *	2,100	--	--	Yes
Piperonyl Butoxide	PBO / Reform	8	{0.01} *	--	--	--	Yes
Propyzamide	Kerb	0.05	{0.01} *	--	--	--	Yes
Quinclorac	Quin Star	0.08	{0.01} *	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01 *	500	--	--	--
Sethoxydim	Poast	4	{0.01} *	300	--	--	Yes
Simazine	Princep / Simazine	0.2	0.2	22,900	0.0063	0.0063	Yes
S-metolachlor		0.15	{0.1}	12,900	--	--	Yes
Sulfentrazone	Zeus / Arterio	0.15	{0.01} *	500	--	--	Yes
Terbacil	Sinbar	0.2	{0.01} *	10,400	--	--	Yes

* Indicates where the Korean default MRL of 0.01 ppm applies because no specific MRL has been established.

(D): NASS withheld to avoid disclosing data for individual operations.

XI. Filipino MRL Status

FUNGICIDES: Status of Filipino MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
Azoxystrobin	Abound / Quadris / Quadris Top	5	5 (Codex)	10,900	1.9	0.0015	--
Boscalid	Pristine	13	{10} (Codex)	4,500	3	0.0033	--
Captan	Captan	20	20 (Codex)	215,500	--	--	--
Chlorothalonil	Bravo	1	—	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	10 (Codex)	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	4 (Codex)	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5 (Codex)	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	5 (Codex)	(D)	0.56	0.013	--
Fenpyrazamine		5	{4} (Codex)	--	--	--	--
Fluazinam	Omega	7	—	(D)	--	--	--
Fludioxonil	Switch	2	2 (Codex)	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	7 (Codex)	3,300	1.1	0.0055	--
Fluxapyroxad		7	7 (Codex)	--	--	--	--
Fosetyl-Al	Aliette	40	—	--	--	--	--
Iprodione	Meteor	15	—	(D)	1.3	0.044	--
Isofetamid	Kenja	5	{4} (Codex)	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5 (Codex)	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	—	--	0.052	0.001	--

FUNGICIDES: Status of Filipino MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	—	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.5 (Codex)	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	0.5 (Codex)	--	--	--	--
Penthiopyrad	Fontelis	6	7 (Codex)	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	—	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{1.5} (Codex)	800	--	--	--
Pydiflumetofen	Miravis Prime	5	5 (Codex)	1,200	--	--	--
Pyraclostrobin	Pristine	4	4 (Codex)	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	8 (Codex)	9,200	0.62	0.05	--
Pyriofenone	Proливо	1.5	1.5 (Codex)	--	--	--	--
Sulfur dioxide		9	—	--	--	--	--
Ziram	Ziram	7	—	46,200	--	--	--

(Codex) Means Codex MRL applies in the absence of a Filipino MRL.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Filipino MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
Acequinocyl	Kanemite	3	—	--	--	--	--
Acetamiprid	Assail	1.6	2 (Codex)	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3 (Codex)	9,700	0.54	0.0022	--
Broflanilide		0.01	—	--	--	--	--
Buprofezin	Courier	0.08	—	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	—	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1} (Codex)	(D)	0.12	0.012	--
Cryolite		7	—	--	--	--	--
Cyantraniliprole	Exirel	4	4 (Codex)	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	1.5 (Codex)	(D)	--	--	--
Diazinon	Diazinon	0.5	—	5,300	--	--	--
Dichlorvos		2	—	--	--	--	--
Esfenvalerate	Asana	1	—	700	0.056	0.01	--
Etofenprox		5	—	--	--	--	--
Fenazaquin	Magister	0.8	0.8 (Codex)	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	—	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	—	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	—	--	--	--	--
Flupyradifurone	Sivanto	4	4 (Codex)	200	--	--	--
Imidacloprid	Admire	3.5	5 (Codex)	5,600	0.2	0.0035	--

INSECTICIDES: Status of Filipino MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
Indoxacarb	Avaunt	1.5	2 (Codex)	(D)	--	--	--
Malathion	Malathion	8	10 (Codex)	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	—	(D)	--	--	--
Methomyl	Lannate	6	—	12,200	0.22	0.041	--
Methoxyfenozide	Intrepid	3	4 (Codex)	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	—	--	--	--	--
Novaluron	Rimon	7	7 (Codex)	(D)	0.47	0.01	--
Phosmet	Imidan	10	—	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	—	200	--	--	--
Pyriproxyfen	Knack	1	—	--	--	--	--
Spinetoram	Delegate	0.5	{0.2} (Codex)	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.4 (Codex)	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{1.5} (Codex)	1,700	0.2	0.0023	--
Sulfoxaflor	Squeoia / Transform	2	2 (Codex)	(D)	--	--	--
Tebufenozide	Confirm	3	3 (Codex)	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	0.5 (Codex)	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	—	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	1.5 (Codex)	2,500	1.4 ^a	0.011 ^a	--

(Codex) Means Codex MRL applies in the absence of a Filipino MRL.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Filipino MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
2,4-D	Weedar	0.2	{0.1} (Codex)	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	—	100	--	--	--
Clethodim	Select Max	0.2	—	3,000	--	--	--
Clopyralid	Stinger	0.5	—	--	--	--	--
Dichlobenil	Casoron	0.15	—	(D)	--	--	--
Dichlormid		0.05	—	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	—	--	--	--	--
Diuron	Karmex / Diuron	0.1	—	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	—	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	0.3 (Codex)	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02 (Codex)	4,300	--	--	--
Fluridone	Brake On!	0.1	—	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	—	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1} (Codex)	43,800	--	--	--
Glyphosate	RoundUp	0.2	—	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	—	--	--	--	--
Hexazinone	Velpar	0.6	—	5,700	--	--	--
Indaziflam	Alion	0.01	—	400	--	--	--
Isoxaben	Trellis	0.01	—	5,400	--	--	--

HERBICIDES & OTHERS: Status of Filipino MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Philippines (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Philippines Monitoring
Mesotrione	Callisto	0.01	0.01 (Codex)	3,800	--	--	--
Napropamide	Devrinol	0.1	—	300	--	--	--
Norflurazon	Solicam	0.2	—	18,300	--	--	--
Oryzalin	Surflan	0.05	—	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.01} (Codex)	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.05} (Codex)	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	—	--	--	--	--
Propyzamide	Kerb	0.05	—	--	--	--	--
Quinclorac	Quin Star	0.08	—	100	--	--	--
Rimsulfuron	Matrix	0.01	—	500	--	--	--
Sethoxydim	Poast	4	—	300	--	--	--
Simazine	Princep / Simazine	0.2	—	22,900	0.0063	0.0063	--
S-metolachlor		0.15	—	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	—	500	--	--	--
Terbacil	Sinbar	0.2	—	10,400	--	--	--

(Codex) Means Codex MRL applies in the absence of a Filipino MRL.

(D): NASS withheld to avoid disclosing data for individual operations.

XII. Taiwanese MRL Status

FUNGICIDES: Status of Taiwanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	Yes
Boscalid	Pristine	13	{10}	4,500	3	0.0033	Yes
Captan	Captan	20	20	215,500	--	--	--
Chlorothalonil	Bravo	1	1	37,000	0.05	0.022	Yes
Cyprodinil	Switch / Inspire Super	3	3	12,700	0.62	0.0052	Yes
Difenoconazole	Inspire Super / Quadris Top	4	{1}	400	0.19	0.01	Yes
Fenbuconazole	Indar	0.3	0.5	8,300	0.018	0.0064	Yes
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	Yes
Fenpyrazamine		5	5	--	--	--	Yes
Fluazinam	Omega	7	—	(D)	--	--	Yes
Fludioxonil	Switch	2	2	8,700	1.3	0.025	Yes
Fluopyram	Luna Tranquility	7	{2}	3,300	1.1	0.0055	Yes
Fluxapyroxad		7	{5}	--	--	--	Yes
Fosetyl-Al	Aliette	40	{20}	--	--	--	--
Iprodione	Meteor	15	{5}	(D)	1.3	0.044	Yes
Isofetamid	Kenja	5	5	(D)	--	--	Yes
Mefentrifluconazole	Cevya	5	—	--	--	--	Yes
Metalaxyl	Metalaxyl 2E AG	2	2	--	0.052	0.001	Yes

FUNGICIDES: Status of Taiwanese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	2	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.4	2,400	--	--	Yes
Oxathiapiprolin	Orondis Gold	0.5	0.5	--	--	--	Yes
Penthiopyrad	Fontelis	6	{5}	300	--	--	Yes
Propiconazole	Tilt / Quilt Xcel	1	2	6,500	0.06	0.012	Yes
Prothioconazole	Proline / Propulse	2	{1.5}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	{2.5}	1,200	--	--	Yes
Pyraclostrobin	Pristine	4	{1}	2,300	0.33	0.0034	Yes
Pyrimethanil	Luna Tranquility	8	{7}	9,200	0.62	0.05	Yes
Pyriofenone	Proливо	1.5	1.5	--	--	--	Yes
Sulfur dioxide		9	—	--	--	--	--
Ziram	Ziram	7	{5}	46,200	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Taiwanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
Acequinocyl	Kanemite	3	—	--	--	--	--
Acetamiprid	Assail	1.6	{1}	2,500	0.83	0.0015	Yes
Bifenthrin	Brigade	1.8	{1}	9,700	0.54	0.0022	Yes
Broflanilide		0.01	—	--	--	--	--
Buprofezin	Courier	0.08	—	--	0.0026	0.0012	Yes
Carbaryl	Carbaryl 4L / Sevin	3	{0.5}	(D)	--	--	Yes
Chlorantraniliprole	Altacor	2.5	{2}	(D)	0.12	0.012	Yes
Cryolite		7	—	--	--	--	--
Cyantraniliprole	Exirel	4	{3}	600	--	--	Yes
Cyclaniliprole	Verdepryn	1.5	{0.8}	(D)	--	--	Yes
Diazinon	Diazinon	0.5	0.5	5,300	--	--	Yes
Dichlorvos		2	—	--	--	--	Yes
Esfenvalerate	Asana	1	1	700	0.056	0.01	Yes
Etofenprox		5	—	--	--	--	Yes
Fenazaquin	Magister	0.8	{0.01}	--	0.77	0.0052	Yes
Fenpropathrin	Danitol	3	3	1,600	0.94	0.02	Yes
Fenpyroximate	Fujimite	3	{0.5}	--	0.14	0.016	Yes
Flonicamid	Beleaf	1.5	{0.01}	--	--	--	Yes
Flupyradifurone	Sivanto	4	4	200	--	--	Yes
Imidacloprid	Admire	3.5	{1}	5,600	0.2	0.0035	Yes
Indoxacarb	Avaunt	1.5	{1}	(D)	--	--	Yes

INSECTICIDES: Status of Taiwanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
Malathion	Malathion	8	{0.01}	60,900	0.42	0.0021	Yes
Metaldehyde	Deadline	0.15	—	(D)	--	--	--
Methomyl	Lannate	6	{2}	12,200	0.22	0.041	Yes
Methoxyfenozone	Intrepid	3	4	2,400	0.29	0.0037	Yes
Methyl bromide	Methyl Bromide / MBC	20	—	--	--	--	--
Novaluron	Rimon	7	—	(D)	0.47	0.01	Yes
Phosmet	Imidan	10	{1}	40,500	1.2	0.01	Yes
Pyrethrins	Azera / Pyrenone	1	{0.2}	200	--	--	Yes
Pyriproxyfen	Knack	1	{0.5}	--	--	--	Yes
Spinetoram	Delegate	0.5	{0.2}	400	0.034	0.0034	Yes
Spinosad	Entrust	0.4	0.4	1,500	0.089	0.0035	Yes
Spirotetramat	Movento	3	—	1,700	0.2	0.0023	Yes
Sulfoxaflor	Squeoia / Transform	2	2	(D)	--	--	Yes
Tebufenozide	Confirm	3	{0.01}	--	0.0054	0.0029	Yes
Thiamethoxam	Actara / Platnium	0.2	0.5	800	0.25	0.0034	Yes
Tolfenpyrad	Bexar	7	{0.01}	--	--	--	Yes
Zeta-Cypermethrin	Mustang Maxx	0.8	2	2,500	1.4 ^a	0.011 ^a	Yes ^a

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Taiwanese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
2,4-D	Weedar	0.2	{0.1}	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	0.1	100	--	--	Yes
Clethodim	Select Max	0.2	—	3,000	--	--	Yes
Clopyralid	Stinger	0.5	—	--	--	--	--
Dichlobenil	Casoron	0.15	—	(D)	--	--	--
Dichlormid		0.05	—	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	—	--	--	--	--
Diuron	Karmex / Diuron	0.1	—	50,200	0.0019	0.0016	Yes
Ethephon	Ethephon	20	{2}	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	{0.01}	(D)	--	--	Yes
Flumioxazin	Chateau	0.02	—	4,300	--	--	--
Fluridone	Brake On!	0.1	—	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	—	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1}	43,800	--	--	--
Glyphosate	RoundUp	0.2	0.2	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	—	--	--	--	--
Hexazinone	Velpar	0.6	{0.01}	5,700	--	--	Yes
Indaziflam	Alion	0.01	—	400	--	--	--
Isoxaben	Trellis	0.01	—	5,400	--	--	--

HERBICIDES & OTHERS: Status of Taiwanese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Taiwan (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Taiwan Monitoring (2026)
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--
Napropamide	Devrinol	0.1	{0.01}	300	--	--	Yes
Norflurazon	Solicam	0.2	{0.1}	18,300	--	--	Yes
Oryzalin	Surflan	0.05	—	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.01}	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.01}	2,100	--	--	Yes
Piperonyl Butoxide	PBO / Reform	8	8	--	--	--	Yes
Propyzamide	Kerb	0.05	—	--	--	--	--
Quinclorac	Quin Star	0.08	—	100	--	--	--
Rimsulfuron	Matrix	0.01	—	500	--	--	--
Sethoxydim	Poast	4	—	300	--	--	Yes
Simazine	Princep / Simazine	0.2	0.2	22,900	0.0063	0.0063	Yes
S-metolachlor		0.15	0.15	12,900	--	--	Yes
Sulfentrazone	Zeus / Arterio	0.15	{0.1}	500	--	--	Yes
Terbacil	Sinbar	0.2	—	10,400	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

XIII. Thai MRL Status

FUNGICIDES: Status of Thai MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
Azoxystrobin	Abound / Quadris / Quadris Top	5	5 (Codex)	10,900	1.9	0.0015	--
Boscalid	Pristine	13	{10} (Codex)	4,500	3	0.0033	--
Captan	Captan	20	20 (Codex)	215,500	--	--	--
Chlorothalonil	Bravo	1	{0.01} *	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	10 (Codex)	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	4 (Codex)	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5 (Codex)	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	5 (Codex)	(D)	0.56	0.013	--
Fenpyrazamine		5	{4} (Codex)	--	--	--	--
Fluazinam	Omega	7	{0.01} *	(D)	--	--	--
Fludioxonil	Switch	2	2 (Codex)	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	7 (Codex)	3,300	1.1	0.0055	--
Fluxapyroxad		7	7 (Codex)	--	--	--	--
Fosetyl-Al	Aliette	40	{0.01} *	--	--	--	--
Iprodione	Meteor	15	{0.01} *	(D)	1.3	0.044	--
Isofetamid	Kenja	5	{4} (Codex)	(D)	--	--	--
Mefentrifluconazole	Cevya	5	5 (Codex)	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	{0.01} *	--	0.052	0.001	--

FUNGICIDES: Status of Thai MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	{0.01} *	(D)	0.052	0.001	--
Metconazole	Quash	0.4	0.5 (Codex)	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	0.5 (Codex)	--	--	--	--
Penthiopyrad	Fontelis	6	7 (Codex)	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	{0.01} *	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{1.5} (Codex)	800	--	--	--
Pydiflumetofen	Miravis Prime	5	5 (Codex)	1,200	--	--	--
Pyraclostrobin	Pristine	4	4 (Codex)	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	8 (Codex)	9,200	0.62	0.05	--
Pyriofenone	Prolivo	1.5	1.5 (Codex)	--	--	--	--
Sulfur dioxide		9	{0.01} *	--	--	--	--
Ziram	Ziram	7	{0.01} *	46,200	--	--	--

* Indicates where the Thai default MRL applies because no specific MRL has been established.

(Codex) Means Codex MRL applies in the absence of a Thai MRL.

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Thai MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
Acequinocyl	Kanemite	3	{0.01} *	--	--	--	--
Acetamiprid	Assail	1.6	2 (Codex)	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	3 (Codex)	9,700	0.54	0.0022	--
Broflanilide		0.01	0.01 *	--	--	--	--
Buprofezin	Courier	0.08	{0.01} *	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	{0.1} *	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1} (Codex)	(D)	0.12	0.012	--
Cryolite		7	{0.01} *	--	--	--	--
Cyantraniliprole	Exirel	4	4 (Codex)	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	1.5 (Codex)	(D)	--	--	--
Diazinon	Diazinon	0.5	{0.01} *	5,300	--	--	--
Dichlorvos		2	{0.01} *	--	--	--	--
Esfenvalerate	Asana	1	{0.01} *	700	0.056	0.01	--
Etofenprox		5	{0.01} *	--	--	--	--
Fenazaquin	Magister	0.8	0.8 (Codex)	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	{0.01} *	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	{0.01} *	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	{0.01} *	--	--	--	--
Flupyradifurone	Sivanto	4	4 (Codex)	200	--	--	--
Imidacloprid	Admire	3.5	5 (Codex)	5,600	0.2	0.0035	--

INSECTICIDES: Status of Thai MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
Indoxacarb	Avaunt	1.5	2 (Codex)	(D)	--	--	--
Malathion	Malathion	8	10 (Codex)	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	{0.01} *	(D)	--	--	--
Methomyl	Lannate	6	{0.01} *	12,200	0.22	0.041	--
Methoxyfenozide	Intrepid	3	4 (Codex)	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	{0.01} *	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	--
Phosmet	Imidan	10	{0.01} *	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	{0.01} *	200	--	--	--
Pyriproxyfen	Knack	1	{0.01} *	--	--	--	--
Spinetoram	Delegate	0.5	{0.2} (Codex)	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.4 (Codex)	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{1.5} (Codex)	1,700	0.2	0.0023	--
Sulfoxaflor	Sqequoia / Transform	2	2 (Codex)	(D)	--	--	--
Tebufenozide	Confirm	3	3 (Codex)	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	0.5 (Codex)	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	{0.01} *	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	1.5 (Codex)	2,500	1.4 ^a	0.011 ^a	--

* Indicates where the Thai default MRL applies because no specific MRL has been established.

(Codex) Means Codex MRL applies in the absence of a Thai MRL.

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Thai MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
2,4-D	Weedar	0.2	{0.1} (Codex)	(D)	--	--	--
Benoxacor		0.01	0.01 *	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	{0.01} *	100	--	--	--
Clethodim	Select Max	0.2	{0.01} *	3,000	--	--	--
Clopyralid	Stinger	0.5	{0.01} *	--	--	--	--
Dichlobenil	Casoron	0.15	{0.01} *	(D)	--	--	--
Dichlormid		0.05	{0.01} *	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	{0.01} *	--	--	--	--
Diuron	Karmex / Diuron	0.1	{0.01} *	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	{0.01} *	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	0.3 (Codex)	(D)	--	--	--
Flumioxazin	Chateau	0.02	0.02 (Codex)	4,300	--	--	--
Fluridone	Brake On!	0.1	{0.01} *	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	0.01 *	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1} (Codex)	43,800	--	--	--
Glyphosate	RoundUp	0.2	{0.01} *	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	{0.01} *	--	--	--	--
Hexazinone	Velpar	0.6	{0.01} *	5,700	--	--	--
Indaziflam	Alion	0.01	0.05 *	400	--	--	--

HERBICIDES & OTHERS: Status of Thai MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Thailand (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Thailand Monitoring
Isoxaben	Trellis	0.01	0.01 *	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01 (Codex)	3,800	--	--	--
Napropamide	Devrinol	0.1	{0.01} *	300	--	--	--
Norflurazon	Solicam	0.2	{0.01} *	18,300	--	--	--
Oryzalin	Surflan	0.05	{0.01} *	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	—	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	{0.05} (Codex)	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	{0.01} *	--	--	--	--
Propyzamide	Kerb	0.05	{0.01} *	--	--	--	--
Quinclorac	Quin Star	0.08	{0.01} *	100	--	--	--
Rimsulfuron	Matrix	0.01	0.01 *	500	--	--	--
Sethoxydim	Poast	4	{0.01} *	300	--	--	--
Simazine	Princep / Simazine	0.2	{0.01} *	22,900	0.0063	0.0063	--
S-metolachlor		0.15	{0.01} *	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	{0.01} *	500	--	--	--
Terbacil	Sinbar	0.2	{0.01} *	10,400	--	--	--

* Indicates where the Thai default MRL applies because no specific MRL has been established.

(Codex) Means Codex MRL applies in the absence of a Thai MRL.

(D): NASS withheld to avoid disclosing data for individual operations.

XIV. Vietnamese MRL Status

FUNGICIDES: Status of Vietnamese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
Azoxystrobin	Abound / Quadris / Quadris Top	5	5	10,900	1.9	0.0015	--
Boscalid	Pristine	13	{10}	4,500	3	0.0033	--
Captan	Captan	20	20	215,500	--	--	--
Chlorothalonil	Bravo	1	—	37,000	0.05	0.022	--
Cyprodinil	Switch / Inspire Super	3	10	12,700	0.62	0.0052	--
Difenoconazole	Inspire Super / Quadris Top	4	—	400	0.19	0.01	--
Fenbuconazole	Indar	0.3	0.5	8,300	0.018	0.0064	--
Fenhexamid	Elevate	5	5	(D)	0.56	0.013	--
Fenpyrazamine		5	—	--	--	--	--
Fluazinam	Omega	7	—	(D)	--	--	--
Fludioxonil	Switch	2	2	8,700	1.3	0.025	--
Fluopyram	Luna Tranquility	7	—	3,300	1.1	0.0055	--
Fluxapyroxad		7	—	--	--	--	--
Fosetyl-Al	Aliette	40	—	--	--	--	--
Iprodione	Meteor	15	—	(D)	1.3	0.044	--
Isofetamid	Kenja	5	—	(D)	--	--	--
Mefentrifluconazole	Cevya	5	—	--	--	--	--
Metalaxyl	Metalaxyl 2E AG	2	—	--	0.052	0.001	--

FUNGICIDES: Status of Vietnamese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
Metalaxyl-M (Mefenoxam)	Ridomil Gold	2	—	(D)	0.052	0.001	--
Metconazole	Quash	0.4	—	2,400	--	--	--
Oxathiapiprolin	Orondis Gold	0.5	—	--	--	--	--
Penthiopyrad	Fontelis	6	—	300	--	--	--
Propiconazole	Tilt / Quilt Xcel	1	—	6,500	0.06	0.012	--
Prothioconazole	Proline / Propulse	2	{1.5}	800	--	--	--
Pydiflumetofen	Miravis Prime	5	—	1,200	--	--	--
Pyraclostrobin	Pristine	4	4	2,300	0.33	0.0034	--
Pyrimethanil	Luna Tranquility	8	—	9,200	0.62	0.05	--
Pyriofenone	Proливо	1.5	—	--	--	--	--
Sulfur dioxide		9	—	--	--	--	--
Ziram	Ziram	7	—	46,200	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.

INSECTICIDES: Status of Vietnamese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
Acequinocyl	Kanemite	3	—	--	--	--	--
Acetamiprid	Assail	1.6	2	2,500	0.83	0.0015	--
Bifenthrin	Brigade	1.8	—	9,700	0.54	0.0022	--
Broflanilide		0.01	—	--	--	--	--
Buprofezin	Courier	0.08	—	--	0.0026	0.0012	--
Carbaryl	Carbaryl 4L / Sevin	3	—	(D)	--	--	--
Chlorantraniliprole	Altacor	2.5	{1}	(D)	0.12	0.012	--
Cryolite		7	—	--	--	--	--
Cyantraniliprole	Exirel	4	4	600	--	--	--
Cyclaniliprole	Verdepryn	1.5	—	(D)	--	--	--
Diazinon	Diazinon	0.5	—	5,300	--	--	--
Dichlorvos		2	—	--	--	--	--
Esfenvalerate	Asana	1	—	700	0.056	0.01	--
Etofenprox		5	—	--	--	--	--
Fenazaquin	Magister	0.8	—	--	0.77	0.0052	--
Fenpropathrin	Danitol	3	—	1,600	0.94	0.02	--
Fenpyroximate	Fujimite	3	—	--	0.14	0.016	--
Flonicamid	Beleaf	1.5	—	--	--	--	--
Flupyradifurone	Sivanto	4	—	200	--	--	--
Imidacloprid	Admire	3.5	5	5,600	0.2	0.0035	--

INSECTICIDES: Status of Vietnamese MRLs

- MRL values listed in red brackets { } are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
Indoxacarb	Avaunt	1.5	—	(D)	--	--	--
Malathion	Malathion	8	10	60,900	0.42	0.0021	--
Metaldehyde	Deadline	0.15	—	(D)	--	--	--
Methomyl	Lannate	6	—	12,200	0.22	0.041	--
Methoxyfenozide	Intrepid	3	4	2,400	0.29	0.0037	--
Methyl bromide	Methyl Bromide / MBC	20	20	--	--	--	--
Novaluron	Rimon	7	7	(D)	0.47	0.01	--
Phosmet	Imidan	10	10	40,500	1.2	0.01	--
Pyrethrins	Azera / Pyrenone	1	—	200	--	--	--
Pyriproxyfen	Knack	1	—	--	--	--	--
Spinetoram	Delegate	0.5	{0.2}	400	0.034	0.0034	--
Spinosad	Entrust	0.4	0.4	1,500	0.089	0.0035	--
Spirotetramat	Movento	3	{1.5}	1,700	0.2	0.0023	--
Sulfoxaflor	Sqequoia / Transform	2	—	(D)	--	--	--
Tebufenozide	Confirm	3	3	--	0.0054	0.0029	--
Thiamethoxam	Actara / Platnium	0.2	0.5	800	0.25	0.0034	--
Tolfenpyrad	Bexar	7	—	--	--	--	--
Zeta-Cypermethrin	Mustang Maxx	0.8	—	2,500	1.4 ^a	0.011 ^a	--

^a Tested for as cypermethrin.

(D): NASS withheld to avoid disclosing data for individual operations.

HERBICIDES & OTHERS: Status of Vietnamese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
2,4-D	Weedar	0.2	{0.1}	(D)	--	--	--
Benoxacor		0.01	—	--	--	--	--
Carfentrazone-ethyl	Aim / Zues	0.1	—	100	--	--	--
Clethodim	Select Max	0.2	—	3,000	--	--	--
Clopyralid	Stinger	0.5	—	--	--	--	--
Dichlobenil	Casoron	0.15	—	(D)	--	--	--
Dichlormid		0.05	—	--	--	--	--
Diquat dibromide	Diquat / Reglone	0.05	—	--	--	--	--
Diuron	Karmex / Diuron	0.1	—	50,200	0.0019	0.0016	--
Ethephon	Ethephon	20	20	--	--	--	--
Fluazifop-P-butyl	Fusilade	0.3	—	(D)	--	--	--
Flumioxazin	Chateau	0.02	—	4,300	--	--	--
Fluridone	Brake On!	0.1	—	--	--	--	--
Forchlorfenuron	Kimzall / Splendor	0.01	—	(D)	--	--	--
Glufosinate-ammonium	Rely	0.15	{0.1}	43,800	--	--	--
Glyphosate	RoundUp	0.2	—	1,600	--	--	--
Halosulfuron-methyl	Sandea	0.05	—	--	--	--	--
Hexazinone	Velpar	0.6	—	5,700	--	--	--
Indaziflam	Alion	0.01	—	400	--	--	--

HERBICIDES & OTHERS: Status of Vietnamese MRLs

- MRL values listed in **red brackets { }** are more restrictive than the U.S. MRL value.
- Cells shaded in yellow indicate actual residues detected in USDA tests higher than foreign MRLs.
- Dashes "--" indicate that no MRL has been established in the market, or the residue or monitoring information are not available.
- MRLs accurate as of April 2, 2026.

Active Ingredient	Trade Name	United States (ppm)	Vietnam (ppm)	2023 NASS Application Data (lbs.)	Highest Residue PDP 2022	Lowest Residue PDP 2022	Vietnam Monitoring
Isoxaben	Trellis	0.01	—	5,400	--	--	--
Mesotrione	Callisto	0.01	0.01	3,800	--	--	--
Napropamide	Devrinol	0.1	—	300	--	--	--
Norflurazon	Solicam	0.2	—	18,300	--	--	--
Oryzalin	Surflan	0.05	—	--	--	--	--
Paraquat dichloride	Gramoxone	0.05	{0.01}	5,300	--	--	--
Pendimethalin	PAVILION H20	0.1	—	2,100	--	--	--
Piperonyl Butoxide	PBO / Reform	8	—	--	--	--	--
Propyzamide	Kerb	0.05	—	--	--	--	--
Quinclorac	Quin Star	0.08	—	100	--	--	--
Rimsulfuron	Matrix	0.01	—	500	--	--	--
Sethoxydim	Poast	4	—	300	--	--	--
Simazine	Princep / Simazine	0.2	—	22,900	0.0063	0.0063	--
S-metolachlor		0.15	—	12,900	--	--	--
Sulfentrazone	Zeus / Arterio	0.15	—	500	--	--	--
Terbacil	Sinbar	0.2	—	10,400	--	--	--

(D): NASS withheld to avoid disclosing data for individual operations.